APGP Tutorial 1: Solutions

1. Strategy: We will find the sum of all terms from 1102 to 2011, subtract by sum all the terms that are divisible by 3.

From 1102 to 2011,

First term that is divisible by 3: 1104 Last term that is divisible by 3: 2010

Note that the terms

 $1104, 1107, 1110, \ldots, 2007, 2010$

forms an AP with 1st term 1104, common difference 3. First, find the number of terms that are divisible by 3.

a + (n - 1)d = 20101103 + (n - 1)(3) = 2010n = 303

Sum of terms divisible by 3: $\frac{303}{2}(1104 + 2010) = 471771$

Number of terms from 1102 to 2011: 2011 - 1102 + 1 = 910Sum of all terms: $\frac{910}{2}(1102 + 2011) = 1416415$

Sum required: 1416415 - 471771 = 944644

2.

$$S_{10} = 105 + 10u_5$$

$$\frac{10}{2}(a + a + 9d) = 105 + 10(a + 4d)$$

$$5(2a + 9d) = 105 + 10a + 40d$$

$$10a + 45d = 105 + 10a + 40d$$

$$5d = 105$$

$$d = 21$$

$u_{26} > 542$	$u_{25} \le 542$
a + 25d > 542	$a + 24d \le 542$
a + 25(21) > 542	$a + 24(21) \le 542$
a > 17	$a \leq 38$

 $\therefore 17 < a \leq 38.$

Sum of last 5 terms = $u_{n-4} + u_{n-3} + u_{n-2} + u_{n-1} + u_n$ = $\frac{5}{2}(u_{n-4} + u_n)$ = $\frac{5}{2}[1 + (n - 5)d + 1 + (n - 1)d]$ = $\frac{5}{2}[2 + 2nd - 6d]$ = 5 + 5nd - 15dSum of last 5 terms = Sum of first 4 terms + 193 5 + 5nd - 15d = 4 + 6d + 193 5nd - 21d - 192 = 0 (shown) 6^{th} term = 16 1 + 5d = 16 5d = 15 d = 3 $\therefore 5n(3) - 21(3) - 192 = 0$

4.

$$T_n = S_n - S_{n-1}$$

= $2n^2 + kn - 3 - [2(n-1)^2 + k(n-1) - 3]$
= $2n^2 + kn - 3 - [2n^2 - 4n + 2 + kn - k - 3]$
= $2n^2 + kn - 3 - [2n^2 + nk - 4n - k - 1]$
= $4n + k - 2$

n = 17

$$T_n - T_{n-1} = 4n + k - 2 - [4(n-1) + k - 2]$$

= 4n + k - 2 - 4n + 4 - k + 2
= 4

Since $T_n - T_{n-1}$ is a constant, the sequence is an A.P. 5. (a)

$$T_n = S_n - S_{n-1}$$

= $3n^2 - 3(n-1)^2$
= $3n^2 - 3(n^2 - 2n + 1)$
= $3n^2 - 3n^2 + 6n - 3$
= $6n - 3$

$$T_n - T_{n-1} = 6n - 3 - [6(n-1) - 3]$$

= 6n - 3 - (6n - 9)
= -3 + 9
= 6

Since $T_n - T_{n-1}$ is a constant, the sequence is an A.P.

(b)

$$3n^2 > 244$$

 $n^2 > 81.333$
 $(n - 9.018)(n + 9.018) > 0$
 $n > 9.018$ or $n < -9.018$ (rej)

$$\therefore$$
 least $n = 10$.

6.

$$\frac{n}{2} \left(5 + 5 + (n - 1)(6)\right) = 2760$$
$$3n^2 + 2n - 2760 = 0$$
$$n = 30 \text{ or } n = \frac{-92}{3} (\text{rej as } n > 0)$$

 $\therefore x = T_{30} = 5 + 29(6) = 179$

7. Let n be the number of boxes that Adam requires.

Total number of all marbles in
$$n$$
 boxes = 6643
 n [12 + 12 + (n = 1)(12)] = 6643

$$\frac{1}{2} [13 + 13 + (n - 1)(13)] = 6643$$
$$\frac{n}{2} [13n + 13] = 6643$$
$$13n^2 + 13n - 13286 = 0$$
$$n = 31.473 \text{ or } -32.473$$

Hence, he will required 32 boxes.

We now count how many marbes there are in the first 31 boxes.

$$\frac{31}{2}\left(13 + 13 + 30(13)\right) = 6448$$

Therefore, number of marbles in the last box is 6643 - 6448 = 195.

8. (a) 1st set: 1 term

2nd set: 2 terms 3rd set: 3 terms : *n*th set: *n* terms Total number of terms = $1 + 2 + 3 + \dots + n = \frac{n}{2}(1 + n)$

(b)

Set	Number of Terms so far	First term of the Set	Last term of the set
1	1	T_1	T_1
2	1+2 = 3	T_2	T_3
3	1+2+3=6	T_4	T_6
4	1+2 +3 +4 =10	T_7	T_{10}
5	1+2+3+4+5=15	T_{11}	T_{15}
n-1			
n			

www.MathAcademy.sg

Using the results from (a), total number of terms in the first (n-1) sets $=\frac{n-1}{2}(n)$. Therefore, the term corresponding to the first term in the n^{th} set is the $\left(\frac{n-1}{2}(n)+1\right)^{th}$ term.

$$T_{\frac{n-1}{2}(n)+1} = 2 + \left[\left(\frac{n-1}{2}(n) + 1 \right) - 1 \right] (4) \qquad \text{(Using AP formula } T_n = a + (n-1)d)$$
$$= 2n^2 - 2n + 2$$

(c) Total number of terms in the first n sets $= \frac{n}{2}(1+n)$. Therefore, the term corresponding to the last term in the n^{th} set is the $\left(\frac{n}{2}(1+n)\right)^{th}$ term.

$$T_{\frac{n}{2}(1+n)} = 2 + \left[\frac{n}{2}(1+n) - 1\right](4) \qquad (\text{Using AP formula } T_n = a + (n-1)d) \\ = 2n^2 + 2n - 2$$

(d) First term in n^{th} set: $2n^2 - 2n + 2$ Last term in n^{th} set: $2n^2 + 2n - 2$

Sum of all terms in
$$n^{th}$$
 set $=\frac{n}{2}[(2n^2 - 2n + 2) + 2n^2 + 2n - 2] = 2n^3$